

Diagonal cutter - MICROFOX-SB - 1212489

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)




Electronic diagonal cutter, round head, without chamfer, with opening spring, mirror-polished and oiled, 2-component grip, cutting capacity: soft 0.2 - 2.0 mm; medium hard 1.2 mm; hard 0.5 mm diameter

Your advantages

- ✓ Ergonomically designed two-component handles for fatigue-proof and non-slip use
- ✓ Opening spring for uniform, smooth opening
- ✓ Through-connected joint for permanent stability and optimum distribution of force
- ✓ Made from special high-grade tool steel
- ✓ Mirror-polished and oiled metal surfaces, which provide maximum rust protection
- ✓ For a variety of applications

Key Commercial Data

| | |
|--------------------------------------|---|
| Packing unit | 1 pc |
| GTIN |  4 046356 527200 |
| GTIN | 4046356527200 |
| Weight per Piece (excluding packing) | 84.600 g |
| Custom tariff number | 82032000 |
| Country of origin | Germany |

Technical data

Dimensions

| | |
|------------|--------|
| Length (b) | 115 mm |
|------------|--------|

General

| | |
|--------|------|
| Weight | 80 g |
|--------|------|

Environmental Product Compliance

| | |
|---------------------------|---|
| California Proposition 65 | Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration |
|---------------------------|---|

Diagonal cutter - MICROFOX-SB - 1212489

Classifications

eCl@ss

| | |
|---------------|----------|
| eCl@ss 10.0.1 | 21043711 |
| eCl@ss 4.0 | 21040300 |
| eCl@ss 4.1 | 21040300 |
| eCl@ss 5.0 | 21040300 |
| eCl@ss 5.1 | 21040300 |
| eCl@ss 6.0 | 21043700 |
| eCl@ss 7.0 | 21043711 |
| eCl@ss 8.0 | 21043711 |
| eCl@ss 9.0 | 21043711 |

ETIM

| | |
|----------|----------|
| ETIM 2.0 | EC001186 |
| ETIM 3.0 | EC001186 |
| ETIM 4.0 | EC000165 |
| ETIM 5.0 | EC000165 |
| ETIM 6.0 | EC000165 |
| ETIM 7.0 | EC000165 |

UNSPSC

| | |
|---------------|----------|
| UNSPSC 6.01 | 30211811 |
| UNSPSC 7.0901 | 39121410 |
| UNSPSC 11 | 39121410 |
| UNSPSC 12.01 | 39121410 |
| UNSPSC 13.2 | 27111511 |
| UNSPSC 18.0 | 27111511 |
| UNSPSC 19.0 | 27111511 |
| UNSPSC 20.0 | 27111511 |
| UNSPSC 21.0 | 27111511 |

Approvals

Approvals

Approvals

EAC

Ex Approvals

Approval details

Diagonal cutter - MICROFOX-SB - 1212489

Approvals

EAC



RU x-
DE.xx08.B.02974