Data sheet | Item number: 2002-2292

End and intermediate plate; 0.8 mm thick; orange

www.wago.com/2002-2292





Data Physical data

| Width | 0.8 mm / 0.031 inch |
|--------|----------------------|
| Height | 69.7 mm / 2.744 inch |
| Depth | 51.7 mm / 2.035 inch |

Material data

| Note on material data | Information on material data can be found here | |
|-----------------------------|--|--|
| Color | orange | |
| Flammability class per UL94 | VO | |
| Fire load | 0.075 MJ | |
| Weight | 2.4 g | |

Commercial data

| Product Group | 22 (TOPJOB S) |
|---------------|---------------|
|---------------|---------------|

 $\label{thm:condition} \textbf{Subject to changes. Please also observe the further product documentation!}$

WAGO GmbH & Co. KG Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.

Data sheet | Item number: 2002-2292

www.wago.com/2002-2292



| PU (SPU) | 100 (25) Stück |
|-----------------------|----------------|
| Packaging type | box |
| Country of origin | CN |
| GTIN | 4044918691154 |
| Customs tariff number | 85389099990 |

Approvals / Certificates

Ex-Approvals

| Logo | Approval | Additional Approval Text | Certificate name |
|-------|--|--------------------------|---|
| IECEx | IECEx Physikalisch Technische Bundesanstalt | IEC 60079 | IECEx PTB 03.0004U (Ex eb IIC Gb or Ex eb I Mb) |

Country specific Approvals

Logo Approval Additional Approval Text Certificate name

CCA C22.2 No. 158 1536069



DEKRA Certification B.V.

Downloads Documentation

Bid Text

| 2002-2292 X81 - Datei | Feb 19, 2019 | xml 2.6 kB | Download |
|--|--------------|----------------|----------|
| 2002-2292 doc - Datei | Apr 27, 2017 | doc 24.1 kB | Download |
| Additional Information | | | |
| Technical Section Technical explanations | | pdf 2.2 MB | Download |

 $\label{thm:condition} \textbf{Subject to changes. Please also observe the further product documentation!}$

WAGO GmbH & Co. KG

Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.

Data sheet | Item number: 2002-2292

www.wago.com/2002-2292



CAD/CAE-Data

CAD data

| 2D/3D Models 2002-2292 | URL | Download |
|-----------------------------|-----|----------|
| CAE data | | |
| EPLAN Data Portal 2002-2292 | URL | Download |
| ZUKEN Portal 2002-2292 | URL | Download |
| WSCAD Universe 2002-2292 | URL | Download |

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 2002-2292 URL Download End and intermediate plate; 0.8 mm thick; orange

Installation Notes

Product family

TOPJOB® S

TOPJOB® S: In various industrial applications and modern building installations, WAGO's wide and versatile range of rail-mount terminal blocks provides more than just reliable electrical connections.

Show all products from the family

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.