

# Screw insert - SF-BIT-HEX 8-50



1212651

<https://www.phoenixcontact.com/gb/products/1212651>

Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.



Screw bit, hexagon, E6.3-1/4" drive, size: Hex 8 x 50 mm, hardened, suitable for holder according to DIN 3126-F6.3/ISO 1173

## Commercial Data

Item number	1212651
Packing unit	5 pc
Minimum order quantity	5 pc
Sales Key	BH3149
Product Key	BH3149
Catalog Page	Page 457 (C-3-2019)
GTIN	4046356662796
Weight per Piece (including packing)	17.1 g
Weight per Piece (excluding packing)	17.1 g
Customs tariff number	82079030
Country of origin	CZ

# Screw insert - SF-BIT-HEX 8-50



1212651

<https://www.phoenixcontact.com/gb/products/1212651>

## Technical Data

### Notes

#### Environmental Product Compliance

California Proposition 65	Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration
---------------------------	---

### Product properties

Type	Hexagonal
Product type	Screwdriver tools

### Connection data

Output	External hexagonal
--------	--------------------

### Dimensions

Length	50 mm
--------	-------

### Material specifications

Color	silver
-------	--------

# Screw insert - SF-BIT-HEX 8-50

1212651

<https://www.phoenixcontact.com/gb/products/1212651>



## Approvals



**EAC**

Approval ID: RU C-DE.AI30.B.01750

# Screw insert - SF-BIT-HEX 8-50



1212651

<https://www.phoenixcontact.com/gb/products/1212651>

## Classifications

### ECLASS

ECLASS-9.0	21044290
ECLASS-10.0.1	21044290
ECLASS-11.0	21044290

### ETIM

ETIM 8.0	EC011813
----------	----------

### UNSPSC

UNSPSC 21.0	27111700
-------------	----------

# Screw insert - SF-BIT-HEX 8-50

1212651

<https://www.phoenixcontact.com/gb/products/1212651>



## Accessories

### Screwdriver

Screwdriver - SF-M BH - 1212070

<https://www.phoenixcontact.com/gb/products/1212070>



Bit screwdriver, with 1/4" quick-action chuck, handle length 119 mm, 2-component handle, with non-slip grip, suitable for bits according to DIN 3126-C 6.3 and E 6.3/ISO 1173, magnetic

---

Phoenix Contact 2022 © - all rights reserved  
<https://www.phoenixcontact.com>

PHOENIX CONTACT Ltd  
Halesfield 13, Telford  
Shropshire, TF7 4PG  
01952 681700  
[info@phoenixcontact.co.uk](mailto:info@phoenixcontact.co.uk)