

## PRODUCT-DETAILS

# KT70-1002

## KT70-1002 Terminal element



### General Information

|                       |                                      |
|-----------------------|--------------------------------------|
| Extended Product Type | KT70-1002                            |
| Product ID            | 1SFA616075R1002                      |
| EAN                   | 7320500202579                        |
| Catalog Description   | KT70-1002 Terminal element           |
| Long Description      | Terminal Element for Bracket or Base |

### Ordering

|                        |          |
|------------------------|----------|
| Minimum Order Quantity | 1 piece  |
| Customs Tariff Number  | 85369001 |
| Product Main Type      | KT70     |

### Popular Downloads

|                                   |                 |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | 1SFC151007C02_  |
| Instructions and Manuals          | 1SFC151011M0201 |

### Dimensions

|                   |        |
|-------------------|--------|
| Product Net Width | 0.07 m |
|-------------------|--------|

|                            |         |
|----------------------------|---------|
| Product Net Depth / Length | 0.05 m  |
| Product Net Height         | 0.07 m  |
| Product Net Weight         | 0.15 kg |

## Technical

|                 |                                                               |
|-----------------|---------------------------------------------------------------|
| Accessory Type  | Signal towers and beacons                                     |
| Color           | Black                                                         |
| Connection Type | Screw Clamp                                                   |
| Mounting Type   | Bracket or base mounting                                      |
| Standards       | CAN/CSA C22.2 No.14, IEC/EN 60947-1, IEC/EN 60947-5-1, UL 508 |

## Environmental

|                                        |                                                            |
|----------------------------------------|------------------------------------------------------------|
| Ambient Air Temperature                | Operation -20 ... +50 °C<br>Storage -20 ... 50 °C          |
| Maximum Operating Altitude Permissible | Without Derating 2000 m                                    |
| RoHS Information                       | 2CMT2015-005456                                            |
| WEEE B2C / B2B                         | Business To Business                                       |
| WEEE Category                          | 5. Small Equipment (No External Dimension More Than 50 cm) |

## Certificates and Declarations (Document Number)

|                                |                 |
|--------------------------------|-----------------|
| Declaration of Conformity - CE | 2CMT2015-005456 |
| Environmental Information      | 1SFC151006D0201 |
| Instructions and Manuals       | 1SFC151011M0201 |
| REACH Declaration              | 2CMT2022-006479 |
| RoHS Information               | 2CMT2015-005456 |

## Container Information

|                                |               |
|--------------------------------|---------------|
| Package Level 1 Units          | box 1 piece   |
| Package Level 1 Width          | 0.055 m       |
| Package Level 1 Depth / Length | 0.075 m       |
| Package Level 1 Height         | 0.075 m       |
| Package Level 1 Gross Weight   | 0.15 kg       |
| Package Level 1 EAN            | 7320500202579 |

## Classifications

|                        |                                               |
|------------------------|-----------------------------------------------|
| eClass                 | V11.0 : 27371232                              |
| E-Number (Finland)     | 3560426                                       |
| E-Number (Sweden)      | 5378394                                       |
| ETIM 6                 | EC001152 - Connection module for signal tower |
| ETIM 7                 | EC001152 - Connection module for signal tower |
| ETIM 8                 | EC001152 - Connection module for signal tower |
| ETIM 9                 | EC001152 - Connection module for signal tower |
| IDEA Granular Category | 3937 >> Strobe or warning lights              |

|                            |          |
|----------------------------|----------|
| Code (IGCC)                |          |
| Object Classification Code | P        |
| UNSPSC                     | 39111706 |

Categories

Low Voltage Products and Systems → Control Products → Pilot Devices → Signal Towers and Beacons

