

PRODUCT-DETAILS

KPR1-100L

KPR1-100L Reset push button



| General Information | |
|-----------------------|--|
| Extended Product Type | KPR1-100L |
| Product ID | 1SFA616160R1004 |
| EAN | 7320500547953 |
| Catalog Description | KPR1-100L Reset push button |
| Long Description | The KPR1-100L Reset push button is: Without shaft - Momentary - Flush - Blue - Non- illuminated - Black Plastic - RUECKSTELLTASTE KPR1-100L FLACH OHNE STOESSEL BLAU This Reset push button is part of ABB's modular plastic range, the most versatile range with a high level of flexibility and market-leading electrical ratings. Engineered for total reliability, longer lifetime, and highest mechanical durability. Self-cleaning contacts ensure reliable operation without the need for maintenance, increasing uptime. A high degree of protection guarantees reliability in extreme environments. The innovative design simplifies the entire process, from selection to easy and quick, tool-free installation. The perfect solution for every application. |

| Ordering | |
|------------------------|------------|
| Minimum Order Quantity | 10 piece |
| Customs Tariff Number | 8536501999 |

| Popular Downloads | |
|-----------------------|---------------|
| Data Sheet, Technical | 1SFC151007C02 |
| Information | |

KPR1-100L 2

Instructions and 1SFC151011M0201 Manuals

| Dimensions | |
|----------------------------|----------|
| Product Net Width | 0.03 m |
| Product Net Height | 0.03 m |
| Product Net Depth / Length | 0.04 m |
| Product Net Weight | 0.014 kg |

| Technical | |
|-----------------------|----------------------|
| Ambient Air | Operation -25 +70 °C |
| Temperature | Storage -40 +85 °C |
| Color | Blue |
| Actuator Type | Flush |
| Bezel Material | Black Plastic |
| Illumination | Non-illuminated |
| Function | Momentary |
| Sub-Function | Without shaft |
| Degree of Protection | Front IP66 |
| Enclosure Type NEMA | Type1 |
| | Type12 |
| | Type13 |
| | Type3R |
| | Type4 |
| | Type4X |
| Mechanical Durability | 2 million |

| Environmental | |
|------------------|--|
| RoHS Status | Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 |
| RoHS Date | 0626 5 |
| RoHS Information | 2CMT2015-005453 |
| WEEE Category | Product Not in WEEE Scope |
| WEEE B2C / B2B | Business To Business |

| Certificates and Declarations (Document Number) | |
|---|-----------------|
| cULus Certificate | 9AKK107046A9924 |
| Declaration of Conformity - CE | 2CMT2015-005453 |
| Environmental Information | 1SFC151001D0201 |
| Instructions and Manuals | 1SFC151011M0201 |
| REACH Declaration | 2CMT2022-006479 |
| RoHS Information | 2CMT2015-005453 |

| Container Information | |
|--------------------------------|--------------|
| Package Level 1 Units | bag 10 piece |
| Package Level 1 Width | 0.135 m |
| Package Level 1 Depth / Length | 0.145 m |

KPR1-100L 3

| Package Level 1 Height | 0.032 m |
|---------------------------------|---------------|
| Package Level 1 Gross Weight | 0.143 kg |
| Package Level 1 EAN | 7320500249284 |

| Classifications | |
|---------------------------------------|--|
| Object Classification Code | S |
| ETIM 6 | EC000221 - Front element for push button |
| ETIM 7 | EC000221 - Front element for push button |
| ETIM 8 | EC000221 - Front element for push button |
| eClass | V11.0 : 27371210 |
| UNSPSC | 39122216 |
| IDEA Granular Category Code (IGCC) | 5212 >> Push button for distribution board |
| E-Number (Finland) | 2338467 |
| E-Number (Norway) | 4372584 |

Categories

 $\textbf{Low Voltage Products and Systems} \rightarrow \textbf{Control Products} \rightarrow \textbf{Pilot Devices} \rightarrow \textbf{Modular Plastic Range}$

