

PRODUCT-DETAILS

## KPR3-100R KPR3-100R Reset push button



General Information	
Extended Product Type	KPR3-100R
Product ID	1SFA616162R1001
EAN	7320500548103
Catalog Description	KPR3-100R Reset push button
	The KPR3-100R Reset push button is: With shaft - Momentary - Flush - Red - Non- illuminated - Black Plastic - RUECKSTELLTASTE KPR3-100R FLACH MIT STOESSEL ROT
Long Description	This Reset push button is part of ABB's modular plastic range, the most versatile range with a high level of flexibility and market-leading electrical ratings. Engineered for total reliability, longer lifetime, and highest mechanical durability. Self-cleaning contacts ensure reliable operation without the need for maintenance, increasing uptime. A high degree of protection guarantees reliability in extreme environments. The innovative design simplifies the entire process, from selection to easy and quick, tool-free installation. The perfect solution for every application.
Ordering	
Minimum Order Quantity	10 piece
Customs Tariff Number	8536501999
Popular Downloads	
Data Sheet, Technical Information	1SFC151007C02
Instructions and Manuals	1SFC151011M0201

2 **KPR3-100R** 

<b>D</b> '	
Dimensions	
Product Net Width	0.03 m
Product Net Height	0.03 m
Product Net Depth / Length	0.215 m
Product Net Weight	0.021 kg
Technical Ambient Air Temperature	Operation -25 +70 °C
Ambient Air Temperature	Storage -40 +85 °C
Ambient Air Temperature Color	
Ambient Air Temperature Color Actuator Type	Storage -40 +85 °C Rec
	Storage -40 +85 °C Rec Flush
Ambient Air Temperature Color Actuator Type Bezel Material	Storage -40 +85 °C Rec Flush Black Plastic

Enclosure Type NEMA	Type1
•	Type1 Type12
	Type13
	Type13 Type3R Type4
	Type4
	Type4X
Mechanical Durability	2 million

## Environmental

Degree of Protection

RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS Date	0626 5
RoHS Information	2CMT2015-005453
WEEE Category	Product Not in WEEE Scope
WEEE B2C / B2B	Business To Business

Certificates and Declarations (Document Number)		
cULus Certificate	9AKK107046A9924	
Declaration of Conformity - CE	2CMT2015-005453	
Environmental Information	1SFC151001D0201	
Instructions and Manuals	1SFC151011M0201	
REACH Declaration	2CMT2022-006479	
RoHS Information	2CMT2015-005453	

Container Information	
Package Level 1 Units	bag 1 piece
Package Level 1 Width	0.135 m
Package Level 1 Depth / Length	0.145 m
Package Level 1 Height	0.032 m
Package Level 1 Gross Weight	0.024 kg
Package Level 1 EAN	7320500248928

## Classifications

Object Classification Code

Front IP66

KPR3-100R 3

ETIM 6	EC000221 - Front element for push button
ETIM 7	EC000221 - Front element for push button
ETIM 8	EC000221 - Front element for push button
eClass	V11.0 : 27371210
UNSPSC	39122216
IDEA Granular Category Code (IGCC)	5212 >> Push button for distribution board
E-Number (Finland)	2338485

## Categories

 $\text{Low Voltage Products and Systems} \rightarrow \text{Control Products} \rightarrow \text{Pilot Devices} \rightarrow \text{Modular Plastic Range}$ 

