

PRODUCT-DETAILS

AUS74

AUS74 Renovation box White IP3X



General Information

Extended Product Type	AUS74
Product ID	2TKA00002896
EAN	6438199004570
Catalog Description	AUS74 Renovation box White IP3X

Long Description

The AUS74 is a front-mounted mounting box with telescope bottom part for board walls of 1 - 3 gypsum boards (thickness of the wall 9 - 39 mm). The height of the box is 54 - 70 mm thanks to the moving bottom part. The installation hole diameter is 73 - 74 mm (box drill AT4). At the side of the bottom part are three inlets for the 16 mm flexi pipe. There is also one inlet for the 16/20 mm and one inlet for the 20 mm flexi pipe. There are two inlets with strain reliefs on the bottom of the box for installing 8 - 13 mm cables and two inlets for the low voltage cables. Box combinations can be made both horizontal and vertical directions without any extra parts. The box has four openings, one on each side, through which conductors can also be conveyed from one box to another. At the top of the box there are two fixing places for screws to install it to the log wall. At the bottom there are marking holes for making box combinations (c/c 71 mm) . The protection class is IP3X. Made of halogen free material (IEC/61249-2-21) and fulfills the requirements of the glow wire test according to the standard IEC/EN60670: 2005 (850 °C)_x000D_

Eco Transparency

Environmental Product Declaration - EPD	9AKK108468A0925
---	-----------------

Technical

Application	None
Number of Poles	0
Number of Conduit Inlets	0
Number of Gangs	1
Number of Inlet Inserts Included	0
Design	Device connection box (round/square)
Mounting Type	Flush mounted (plaster)
Switching Equipment Mounting Type	Screw
Shape	Round
Surface Finishing	Untreated
Material	Plastic
Includes	None
Model Number	Single
Color	White

Environmental

Degree of Protection	IP3X
RoHS Status	Following EU Directive 2002/95/EC August 18, 2005 and amendment

Dimensions

Product Net Width	0.073 m
Product Net Height	0.055 m
Product Net Depth / Length	73 mm
Product Net Weight	0.0388 kg

Container Information

Package Level 1 Units	box 60 piece
Package Level 1 Width	0.295 m
Package Level 1 Height	0.055 m
Package Level 1 Depth / Length	0.4 m
Package Level 1 Gross Weight	2.658 kg
Package Level 1 EAN	6438199004570
Package Level 2 Units	pallet (lift) 1920 piece
Package Level 2 Width	0.8 m
Package Level 2 Height	1.1 m
Package Level 2 Depth / Length	1.2 m
Package Level 2 Gross Weight	103 kg
Package Level 2 EAN	6438199004570

Ordering

Minimum Order Quantity	60 piece
Customs Tariff Number	39259080

E-Number (Sweden)	1420079
Country of Origin	Finland (FI)

Certificates and Declarations (Document Number)	
Declaration of Conformity - CE	9AKK106713A4627
Environmental Product Declaration - EPD	9AKK108468A0925
Instructions and Manuals	9AKK10103A2549
REACH Declaration	9AKK106713A4633
RoHS Information	9AKK106713A4634

Popular Downloads	
Data Sheet, Technical Information	9AKK10103A2549
Instructions and Manuals	9AKK10103A2549

Classifications	
ETIM 7	EC002601 - Box/housing for built-in mounting in the wall/ceiling
ETIM 8	EC002601 - Box/housing for built-in mounting in the wall/ceiling
WEEE Category	Product Not in WEEE Scope

Categories

Low Voltage Products and Systems → Installation Materials → Flush Mounted Boxes → Plastic Installation Boxes (for WA Inserts) → Hollow Wall

