

## PRODUCT-DETAILS

# TR160

## TR160 Toroidal Transformer



### General Information

Extended Product Type	TR160
Product ID	2CSG160100R1211
EAN	8012542743507
Catalog Description	TR160 Toroidal Transformer
Long Description	Residual current monitors (RCMs) with external transformer can detect leakage currents. Through minidip you can set sensitivity and intervention time. According to the same diameter, transformers are made in a single version for all relay sensitivity values.

### Technical

Current Limit Function	FS 5
Apparent Power Output	2000 V·A
Secondary Output Connection	Screw connection
Meter Type	not openable
Model Number	Through-feed current converter

### Environmental

RoHS Status	Following EU Directive 2011/65/EU
RoHS Information	9AKK106713A5628
Conflict Minerals	9AKK108468A3363

Reporting Template  
(CMRT)**Dimensions**

Product Net Width	0.220 m
Product Net Height	0.236 m
Product Net Depth / Length	0.064 m
Product Net Weight	0.900 kg
Inside Diameter	160 mm

**Ordering**

Minimum Order Quantity	1 piece
Package Level 1 Units	box 1 piece
Package Level 1 Gross Weight	1.15 kg
Customs Tariff Number	85043121
Country of Origin	Italy (IT)

**Certificates and Declarations**

Declaration of Conformity - CE	9AKK106713A5628
--------------------------------	-----------------

**Popular Downloads**

Data Sheet, Technical Information	9AKK107046A0424
Instructions and Manuals	No document needed

**Classifications**

ETIM 8	EC002048 - Current transformer
ETIM 9	EC002048 - Current transformer
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Business
CN8	85043121
eClass	V11.0 : 27210902
Object Classification Code	F

**Categories**

Low Voltage Products and Systems → Modular DIN Rail Products → Residual Current Devices RCDs → Residual Current Monitors, RCMs

