


# Car park gullies Passavant (DN 70 - DN 100)

## Product information for the product group

### ACO Product benefits

- Guaranteed fire protection
  - No additional fire load
  - Fire protection classes: R 30 – R 120
- Permanent resistance
  - Maintenance-friendly
  - 100% UV resistant
- Flexibility in sealing
  - PVC/PE/PP/Bitumen
- Variable installation
  - On-site height adjustment by means of cast iron adjustment ring
  - Can be utilised as emergency drainage
- Few components, compact design
  - Core drill diameter just 160 mm, also with fire protection Fit-in



- Made of cast iron
  - Building material class A1, non-flammable
  - With paint coat (transport protection)
  - High pressure resistance > 700 N/mm<sup>2</sup>
- Tested in accordance with EN 1253-2
- abZ: Z-19.17-2430 aBG: Z-19.53-2522
- Load class: M 125
- 100 mm flange for all covering types

## Item Technical Data 5932.00.02

Socket inclination	Description	Recess (LxB)	Weight
		[mm]	[kg]
<b>Nominal width: DN 70</b>			
90°	■ Removable dirt trap: Stainless steel	230 x 230	6.9
	■ Without connecting rim		
	■ With		

**Accessories**

	Description	Used with	Weight [kg]	Item number
	<ul style="list-style-type: none"> <li>■ Mains connection: 220 – 240 V</li> <li>■ Degree of protection: IP 67</li> <li>■ Connection line                             <ul style="list-style-type: none"> <li><input type="checkbox"/> HOSRN-F2x1,0</li> <li><input type="checkbox"/> Length: 1 m</li> </ul> </li> <li>■ Height: 95 mm</li> </ul>			
	<p><b>Flat roof heating</b> Nominal power: 25 W</p>	<ul style="list-style-type: none"> <li>Flat roof gullies Jet/Spin series made of stainless steel;                             <ul style="list-style-type: none"> <li><input type="checkbox"/> DN 40 – DN 125</li> </ul> </li> <li>; Parapet wall gully Spin/Jet made of stainless steel;                             <ul style="list-style-type: none"> <li><input type="checkbox"/> 45° and 90°</li> </ul> </li> <li>; Turboflow emergency gully made of stainless steel;                             <ul style="list-style-type: none"> <li><input type="checkbox"/> DN 50 – DN 70</li> </ul> </li> <li>; Flat roof gullies Passavant Spin made of cast iron;                             <ul style="list-style-type: none"> <li><input type="checkbox"/> DN 70 – DN 100</li> </ul> </li> </ul>	0.3	7000.85.10
	<p><b>Flat roof heating with thermostat</b> Nominal power: 25 W</p>	<ul style="list-style-type: none"> <li>Flat roof gullies Jet/Spin series made of stainless steel;                             <ul style="list-style-type: none"> <li><input type="checkbox"/> DN 40 – DN 125</li> </ul> </li> <li>; Parapet wall gully Spin/Jet made of stainless steel;                             <ul style="list-style-type: none"> <li><input type="checkbox"/> 45° and 90°</li> </ul> </li> <li>; Turboflow emergency gully made of stainless steel;                             <ul style="list-style-type: none"> <li><input type="checkbox"/> DN 50 – DN 70</li> </ul> </li> <li>; Flat roof gullies Passavant Spin made of cast iron;                             <ul style="list-style-type: none"> <li><input type="checkbox"/> DN 70 – DN 100</li> </ul> </li> </ul>	0.3	7000.85.20
	<p><b>Fire protection insert</b></p> <ul style="list-style-type: none"> <li>■ Note:                             <ul style="list-style-type: none"> <li><input type="checkbox"/> The discharge value is reduced by use</li> <li><input type="checkbox"/> A Fit-in must be installed for core hole drilling</li> <li><input type="checkbox"/> aBG: Z-19.53-2439</li> <li><input type="checkbox"/> abZ: Z-19.17-2430</li> </ul> </li> </ul>	<ul style="list-style-type: none"> <li>■ Flat roof gullies Passavant Spin made of cast iron</li> <li>■ Parking deck gullies Passavant made of cast iron                             <ul style="list-style-type: none"> <li><input type="checkbox"/> DN 70</li> <li><input type="checkbox"/> Socket inclination: 90°</li> </ul> </li> </ul>	0.5	7033.20.02
	<p>Cross-material accessories</p> <p><b>Fire protection insert</b></p> <ul style="list-style-type: none"> <li>■ Note:                             <ul style="list-style-type: none"> <li><input type="checkbox"/> The discharge value is reduced by use</li> <li><input type="checkbox"/> A Fit-in must be installed for core hole drilling</li> <li><input type="checkbox"/> aBG: Z-19.53-2439</li> <li><input type="checkbox"/> abZ: Z-19.17-2430</li> </ul> </li> </ul>	<ul style="list-style-type: none"> <li>■ Flat roof gullies Passavant Spin made of cast iron</li> <li>■ Parking deck gullies Passavant made of cast iron                             <ul style="list-style-type: none"> <li><input type="checkbox"/> DN 100</li> <li><input type="checkbox"/> Socket inclination: 90°</li> </ul> </li> </ul>	0.5	7034.20.02

	Description	Used with	Weight [kg]	Item number
	<b>Adjustable height</b> <ul style="list-style-type: none"> <li>■ Made of cast iron, with paint finish</li> <li>■ Load class: M 125</li> <li>■ Height-adjustability: 25 – 40 mm</li> </ul>	<ul style="list-style-type: none"> <li>■ Flat roof gullies Passavant Spin made of cast iron                             <ul style="list-style-type: none"> <li><input type="checkbox"/> DN 70/DN 100</li> </ul> </li> <li>■ Parking deck gullies Passavant made of cast iron</li> <li>■ Grating with frame                             <ul style="list-style-type: none"> <li><input type="checkbox"/> 7000.08.02</li> <li><input type="checkbox"/> 7000.44.02</li> </ul> </li> </ul>	1.3	7000.05.02
	<b>Adjustable height</b> <ul style="list-style-type: none"> <li>■ Made of cast iron, with paint finish</li> <li>■ Load class: M 125</li> <li>■ Height-adjustability: 45 – 60 mm</li> </ul>	<ul style="list-style-type: none"> <li>■ Flat roof gullies Passavant Spin made of cast iron                             <ul style="list-style-type: none"> <li><input type="checkbox"/> DN 70/DN 100</li> </ul> </li> <li>■ Parking deck gullies Passavant made of cast iron</li> <li>■ Grating with frame                             <ul style="list-style-type: none"> <li><input type="checkbox"/> 7000.08.02</li> <li><input type="checkbox"/> 7000.44.02</li> </ul> </li> </ul>	1.9	7000.06.02
	<b>Removable dirt trap</b> <ul style="list-style-type: none"> <li>■ Made of stainless steel</li> </ul>	<ul style="list-style-type: none"> <li>■ Flat roof gullies Passavant Spin made of cast iron                             <ul style="list-style-type: none"> <li><input type="checkbox"/> DN 70 – DN 100</li> <li><input type="checkbox"/> Socket inclination: 90°/0°</li> </ul> </li> <li>■ Parking deck gullies Passavant made of cast iron                             <ul style="list-style-type: none"> <li><input type="checkbox"/> DN 70 – DN 100</li> </ul> </li> <li>■ Top part made of cast iron                             <ul style="list-style-type: none"> <li><input type="checkbox"/> DN 70/DN 100</li> </ul> </li> </ul>		7000.03.02

You can find further accessories under → <https://www.buildingdrainage.aco/search/?q=5932.00.02>