

## TST Basic Diffusers

**Circular steel ceiling diffuser suitable for a wide range of settings**



- Ceiling Installation
- Variable Distribution
- Tough Construction
- Air Extraction

[Find more details in our online catalogue](#)

### Ceiling Installation

The TST diffuser is designed for simple ceiling mounting and is installed directly onto the spiral duct and fixed with pop rivets.

### Two-Part Diffuser Unit

The TST diffuser is a two-part unit that's available in a range of different diameters. It's made from galvanised sheet metal and has a white powder finish.

### Variable Distribution

The TST diffuser can be adjusted to provide the desired air distribution. A shielding device is included, which allows for a directional 180 degrees pattern.

The TST is an effective, circular supply diffuser designed for ceiling mounting. Manufactured from galvanised sheet metal with a white powder-coated finish, it has a tough and durable construction. The diffuser is installed directly onto the spiral duct and secured in place with pop rivets. It is available in a range of diameters, making it a versatile and effective solution for a wide variety of settings.

The TST is a two-part unit and can be adjusted to provide the desired throw. The unit comes complete with a shielding device which can be used to alter the distribution pattern to a directional 180-degree pattern. The TST diffuser can also be used to extract air. The TST diffuser is often installed using the THOR plenum chamber.

## Technical parameters

### Nominal data

Air flow(s)	237; 282; 331	m³/h
Duct connection type	Circular	
Pressure drop	17; 25; 34	Pa
Sound power level	24; 29; 34	dB(A)
Sound pressure level (10 m² room absorbtion area)	20; 25; 30	dB(A)

### Dimensions and weights

Weight	1.6	kg
--------	-----	----

## Documents

- InstalMaintenOperInstr\_PP-99-01\_TST\_EN
- TST\_DoC\_EN
- UserManual\_TST\_EN\_201309