


## Plastic Covers S-Line



### S-LINE PLASTIC COVERS

Three different shapes of high quality plastic covers are available:  
flat, round and triangle cover

The following versions are available:

FLAT: crystal clear, frost (semitransparent), milky frost (opal) und **black**

ROUND: crystal clear, frost (semitransparent), milky frost (opal)


TRIANGLE: frost (semitransparent) and milky frost (opal)

The flat cover (FLAT) is also as a walkable and breakproof version in crystal clear, frost, milky frost (opal) available.


#### LENS COVER 60°


The LENS COVER provides a concentration of light rays and therefore a narrower beam angle. Depending on the distance between FLEX STRIP and LENS COVER the max. beam angle is 60°.

Plastic cover: Clear | Frost | Milky (opal) | Black




All PROLED aluminium profiles, plastic covers and end caps are protected by registered community designs (international design patents).






ROUND



TRIANGLE



## LENS COVER 60°

ORDER EXAMPLE SPECIAL LENGTHS

5 YEARS WARRANTY INFORMATION

### PRODUCT TYPES

order code	description	length
L691S3C	PLASTIC COVER S-LINE FLAT CLEAR	2 m
L691S3CX	PLASTIC COVER S-LINE FLAT CLEAR	3 m
L691S3CY	PLASTIC COVER S-LINE FLAT CLEAR	5 m
L691S3CZ	PLASTIC COVER S-LINE FLAT CLEAR	per meter (max. 5 m)*
L691S3F	PLASTIC COVER S-LINE FLAT FROST	2 m
L691S3FX	PLASTIC COVER S-LINE FLAT FROST	3 m
L691S3FY	PLASTIC COVER S-LINE FLAT FROST	5 m

order code	description	length
L691S3FZ	PLASTIC COVER S-LINE FLAT FROST	per meter (max. 5 m)*
L691S3M	PLASTIC COVER S-LINE FLAT MILKY (OPAL)	2 m
L691S3MX	PLASTIC COVER S-LINE FLAT MILKY (OPAL)	3 m
L691S3MY	PLASTIC COVER S-LINE FLAT MILKY (OPAL)	5 m
L691S3MZ	PLASTIC COVER S-LINE FLAT MILKY (OPAL)	per meter (max. 5 m)*
L691S3CB	PLASTIC COVER S-LINE FLAT BREAK-PROOF VERSION CLEAR	2 m
L691S3CBX	PLASTIC COVER S-LINE FLAT BREAK-PROOF VERSION CLEAR	3 m
L691S3CBY	PLASTIC COVER S-LINE FLAT BREAK-PROOF VERSION CLEAR	5 m
L691S3CBZ	PLASTIC COVER S-LINE FLAT BREAK-PROOF VERSION CLEAR	per meter (max. 5 m)*
L691S3FB	PLASTIC COVER S-LINE FLAT BREAK-PROOF VERSION FROST	2 m
L691S3FBX	PLASTIC COVER S-LINE FLAT BREAK-PROOF VERSION FROST	3 m
L691S3FBY	PLASTIC COVER S-LINE FLAT BREAK-PROOF VERSION FROST	5 m
L691S3FBZ	PLASTIC COVER S-LINE FLAT BREAK-PROOF VERSION FROST	per meter (max. 5 m)*
L691S3MB	PLASTIC COVER S-LINE FLAT BREAK-PROOF VERSION MILKY (OPAL)	2 m
L691S3MBX	PLASTIC COVER S-LINE FLAT BREAK-PROOF VERSION MILKY (OPAL)	3 m
L691S3MBY	PLASTIC COVER S-LINE FLAT BREAK-PROOF VERSION MILKY (OPAL)	5 m

order code	description	length
<b>L691S3MBZ</b>	PLASTIC COVER S-LINE FLAT BREAK-PROOF VERSION MILKY (OPAL)	per meter (max. 5 m)*
<b>L691R2C</b>	PLASTIC COVER S-LINE ROUND CLEAR	2 m
<b>L691R2CX</b>	PLASTIC COVER S-LINE ROUND CLEAR	3 m
<b>L691R2CZ</b>	PLASTIC COVER S-LINE ROUND CLEAR	per meter (max. 3 m)*
<b>L691R2F</b>	PLASTIC COVER S-LINE ROUND FROST	2 m
<b>L691R2FX</b>	PLASTIC COVER S-LINE ROUND FROST	3 m
<b>L691R2FZ</b>	PLASTIC COVER S-LINE ROUND FROST	per meter (max. 3 m)*
<b>L691R2M</b>	PLASTIC COVER S-LINE ROUND MILKY (OPAL)	2 m
<b>L691R2MX</b>	PLASTIC COVER S-LINE ROUND MILKY (OPAL)	3 m
<b>L691R2MZ</b>	PLASTIC COVER S-LINE ROUND MILKY (OPAL)	per meter (max. 3 m)*
<b>L691L60C</b>	PLASTIC COVER S-LINE LENS 60° CLEAR	2 m
<b>L691L60CX</b>	PLASTIC COVER S-LINE LENS 60° CLEAR	3 m
<b>L691L60CZ</b>	PLASTIC COVER S-LINE LENS 60° CLEAR	per meter (max. 3 m)*
<b>L691STF</b>	PLASTIC COVER S-LINE TRIANGLE FROST	2 m
<b>L691STFZ</b>	PLASTIC COVER S-LINE TRIANGLE FROST	per meter (max. 2 m)
<b>L691STM</b>	PLASTIC COVER S-LINE TRIANGLE MILKY (OPAL)	2 m
<b>L691STMZ</b>	PLASTIC COVER S-LINE TRIANGLE MILKY (OPAL)	per meter (max. 2 m)

**\*Custom Length**



MEMBER OF THE PROLED GROUP