



PRODUCT-DETAILS

6319.0376.1

JDDA 00 Earthing device



General Information	
Global Commercial Alias	6319.0376.1
Extended Product Type	JDDA 00
Product ID	2CGX063190376
EAN	7331980052394
Catalog Description	JDDA 00 Earthing device
Long Description	Earthing device for SLD 00

Circular Value	
Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
REACH Declaration	2CGC0049

Ordering	
Minimum Order Quantity	1 piece
Customs Tariff Number	85369010
Country of Origin	Sweden (SE)

Popular Downloads	
-------------------	--

Data Sheet, Technical Information	2CGC0036
Instructions and Manuals	No Instructions and Manuals needed

Dimensions

Product Net Width	50 mm
Product Net Height	424.4 mm
Product Net Depth / Length	118 mm
Product Net Weight	2.3 kg

Technical

Rated Insulation Voltage (U _i)	690 V
Rated Peak Withstand Current Low Voltage (I _{pk})	10.9 kA
Rated Short-time Withstand Current Low Voltage (I _{cw})	for 1 s 6.1 kiloampere rms

Certificates and Declarations

Declaration of Conformity - CE	No declaration needed
REACH Declaration	2CGC0049

Container Information

Package Level 1 Units	box 1 piece
Package Level 1 Width	480 mm
Package Level 1 Depth / Length	165 mm
Package Level 1 Height	210 mm
Package Level 1 Gross Weight	2.3 kg
Package Level 1 EAN	7331980052394

Classifications

ETIM 7	EC002498 - Accessories for low-voltage switch technology
ETIM 8	EC002498 - Accessories/spare parts for low-voltage switch technology
ETIM 9	EC002498 - Accessories/spare parts for low-voltage switch technology
eClass	V11.1 : 27371392
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
E-Number (Sweden)	0732757

Categories

Low Voltage Products and Systems → Fusegear → Fuse Switch Disconnectors → Kabeldon IP-System

