

PRODUCT-DETAILS

6319.0402.1

JDDA 1 Earthing device



General Information

Global Commercial Alias	6319.0402.1
Extended Product Type	JDDA 1
Product ID	2CGX063190402
EAN	7331980047857
Catalog Description	JDDA 1 Earthing device
Long Description	Earthing device for SLD 1

Circular Value

Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
REACH Declaration	2CGC0049

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85369010
Country of Origin	Sweden (SE)

Popular Downloads	
Data Sheet, Technical Information	2CGC0036
Instructions and Manuals	No Instructions and Manuals needed

Dimensions	
Product Net Width	120 mm
Product Net Height	435.7 mm
Product Net Depth / Length	113 mm
Product Net Weight	2.725 kg

Technical	
Rated Insulation Voltage (U _i)	690 V
Rated Peak Withstand Current Low Voltage (I _{pk})	34.4 kA
Rated Short-time Withstand Current Low Voltage (I _{cw})	for 1 s 16.2 kiloampere rms

Certificates and Declarations	
Declaration of Conformity - CE	No declaration needed
REACH Declaration	2CGC0049

Container Information	
Package Level 1 Units	box 1 piece
Package Level 1 Width	192 mm
Package Level 1 Depth / Length	482 mm
Package Level 1 Height	157 mm
Package Level 1 Gross Weight	2.4 kg
Package Level 1 EAN	7331980047857

Classifications	
ETIM 7	EC002498 - Accessories for low-voltage switch technology
ETIM 8	EC002498 - Accessories/spare parts for low-voltage switch technology
ETIM 9	EC002498 - Accessories/spare parts for low-voltage switch technology
eClass	V11.1 : 27371392
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
E-Number (Sweden)	0732761

Categories

Low Voltage Products and Systems → Fusegear → Fuse Switch Disconnectors → Kabeldon IP-System

