



Color: ■ gray

Electrical data

Ratings per IEC/EN	
Rated current	16 A

Physical data

Width	10 mm / 0.394 inches
Height	3 mm / 0.118 inches
Jumper assignment	1-2

Material data

Note (material data)	Information on material specifications can be found here
Color	gray
Material group	I
Insulation material	Polyamide (PA66)
Flammability class per UL94	V0
Fire load	0.005 MJ
Weight	0.5 g

Commercial data

eCl@ss 10.0	27-14-11-40
eCl@ss 9.0	27-14-11-40
ETIM 8.0	EC000489
ETIM 7.0	EC000489
PU (SPU)	200 (25) pcs
Packaging type	Box
Country of origin	DE
GTIN	4044918458283
Customs tariff number	85366990990



Environmental Product Compliance	
RoHS Compliance Status	Compliant,No Exemption

Downloads

Environmental Product Compliance

Compliance Search	
Environmental Product Compliance 264-402	↓

Documentation

Additional Information		
Technical Section	pdf 2240.62 KB	↓

Bid Text			
264-402	19.02.2019	xml 2.62 KB	↓
264-402	30.05.2017	doc 23.50 KB	↓

CAD/CAE-Data

CAD data	
2D/3D Models 264-402	↓

CAE data	
EPLAN Data Portal 264-402	↓
WSCAD Universe 264-402	↓
ZUKEN Portal 264-402	↓

1 Compatible Products

1.1 Optional Accessories

1.1.1 Tool


1.1.1.1 Operating tool



[Item No.: 280-432](#)
Operating tool; made of insulating material; 2-way; white

Installation Notes

Commoning



Commoning with comb-style jumper bar.

Commoning with comb-style jumper bar.