

55mm Depth of Cut Heavy Duty Plunge Saw + 1.5m Guide Rail

DWSS20KR



55mm depth of cut allows the trimming and sizing of most common door sizes  
Parallel plunge allows the user to maintain a smooth and constant hand position while cutting  
The anti kickback function stops the saw from moving backwards along the rail and helps stop the saw from climbing out of the work piece when making plunge cuts  
A 48 tooth blade gives a fine and accurate finish with very little breakout in laminates

**Standard Equipment:** 48 tooth precision circular saw blade, Heavy duty carrying case

Power Input	1300 Watts
Power Output	690 Watts
No Load Speed	1750 - 4000 rpm
Blade Diameter	165 mm
Blade Bore	20 mm
Bevel Capacity	47 °
Max. Depth of Cut at 90° (with guide rails)	55 mm
Max. Depth of Cut at 45° (with guide rails)	40 mm
Weight	5.1 kg
Length x Height	303 x 265 mm



55 mm Depth of Cut Heavy Duty Plunge Saw

DWSS20K




55mm depth of cut allows the trimming and sizing of most common door sizes  
Parallel plunge allows the user to maintain a smooth and constant hand position while cutting  
The anti kickback function stops the saw from moving backwards along the rail and helps stop the saw from climbing out of the work piece when making plunge cuts  
A 48 tooth blade gives a fine and accurate finish with very little breakout in laminates

**Standard Equipment:** 48 tooth precision circular saw blade, Heavy duty carrying case

Power Input	1300 Watts
Power Output	690 Watts
No Load Speed	1750 - 4000 rpm
Blade Diameter	165 mm
Blade Bore	20 mm
Bevel Capacity	47 °
Max. Depth of Cut at 90° (with guide rails)	55 mm
Max. Depth of Cut at 45° (with guide rails)	40 mm
Weight	5.1 kg
Length x Height	303 x 265 mm



Guide Rails



DWSS022



DWSS029



DWSS031

Cat. No.	Description
DWSS021	1 m guide rail
DWSS022	1.5 m guide rail
DWSS023	2.6 m guide rail
DWSS025	Bag for use with 1 m and 1.5 m DeWALT guide rails
DWSS026	Clamps for use with DeWALT guide rails
DWSS027	T square attachment for guide rails
DWSS028	Angle attachment for guide rails
DWSS029	Replacement edge strip
DWSS030	Replacement "Teflon" strip
DWSS031	Router attachment for guide rail



DWSS026



DWSS028



DWSS027



DWSS025

701 W - Heavy Duty Top Handle Jigsaw

DW331K



Quick and easy patented keyless blade change system accepts T-shank blades  
Powerful 701 Watt motor with variable speed delivers fast cutting action up to 3100 strokes per minute  
Patented anti-vibration counterbalance mechanism and rubber grip provide smooth operation  
4-position pendulum action controls the aggressiveness or smoothness of cuts

**Standard Equipment:** Blade, Anti-scratch cover, Anti-splinter insert, Dust extraction adaptor, Heavy duty carrying case

Power Input	701 Watts
Power Output	445 Watts
No Load Stroke Rate	0-3100 spm
Stroke Length	26 mm
Bevel Capacity	45 °
Max. Cutting Capacity (Wood)	135 mm
Max. Cutting Capacity (Steel)	12 mm
Max. Cutting Capacity (Non Ferrous Metal)	30 mm
Weight	2.8 kg
Length x Height	250 x 210 mm



701 W - Heavy Duty Body Grip Jigsaw

DW333K



Quick and easy patented keyless blade change system accepts T-shank blades  
Powerful 701 Watt motor with variable speed delivers fast cutting action up to 3100 strokes per minute  
Patented anti-vibration counterbalance mechanism and rubber grip provide smooth operation  
4-position pendulum action controls the aggressiveness or smoothness of cuts

**Standard Equipment:** Blade, Anti-scratch cover, Anti-splinter insert, Dust extraction adaptor, Heavy duty carrying case

Power Input	701 Watts
Power Output	445 Watts
No Load Stroke Rate	800-3100 spm
Stroke Length	26 mm
Bevel Capacity	45 °
Max. Cutting Capacity (Wood)	135 mm
Max. Cutting Capacity (Steel)	12 mm
Max. Cutting Capacity (Non Ferrous Metal)	30 mm
Weight	2.8 kg
Length x Height	265 x 210 mm



550 W - Top Handle Compact Jigsaw

DW341K



Keyless blade change with patented anti-deflection clamp design for ease of use and accuracy  
Compact, ergonomic design gives user comfort and versatility in use  
Variable speed dial and trigger allows controlled cutting in all materials  
Adjustable pendulum action gives increased cutting performance and longer saw blade life

**Standard Equipment:** Blade, Allen key, Anti-scratch shoe cover, Dust extraction shield, Vacuum adaptor, Heavy duty carrying case

Power Input	550 Watts
Power Output	350 Watts
No Load Stroke Rate	0-3100 spm
Stroke Length	20 mm
Bevel Capacity	45 °
Max. Cutting Capacity (Wood)	85 mm
Max. Cutting Capacity (Steel)	10 mm
Max. Cutting Capacity (Non Ferrous Metal)	20 mm
Weight	2.0 kg
Length x Height	230 x 200 mm



550 W - Body Grip Compact Jigsaw

DW343K



Keyless blade change with patented anti-deflection clamp design for ease of use and accuracy  
Compact, ergonomic design gives user comfort and versatility in use  
Variable speed dial allows controlled cutting in all materials  
Adjustable pendulum action gives increased cutting performance and longer saw blade life

**Standard Equipment:** Blade, Allen key, Anti-scratch shoe cover, Vacuum adaptor, Dust extraction shield, Heavy duty carrying case

Power Input	550 Watts
Power Output	350 Watts
No Load Stroke Rate	650-3100 spm
Stroke Length	20 mm
Bevel Capacity	45 °
Max. Cutting Capacity (Wood)	85 mm
Max. Cutting Capacity (Steel)	10 mm
Max. Cutting Capacity (Non Ferrous Metal)	20 mm
Weight	2.0 kg
Length x Height	250 x 185 mm



JIGSAW BLADES



XPC - DEWALT's ultimate jigsaw blade solution for control and accuracy of cut

- Premium steel for maximum durability and thicker body for easy control and ultimate accuracy
- Optimised tooth geometry for longer life and reduced breakout
- Increased speed - large deep gullets for easy chip removal
- Plunge point tip design for easy plunge cut

For the complete range of jigsaw blades see page 143