

Product Range



01603

3 mm
16-18 mm
1.408 pcs.
42 pcs.
59.136 pcs.



01635

3,5 mm
16-18 mm
1.280 pcs.
42 pcs.
53.760 pcs.



01604

4 mm
16-18 mm
1.280 pcs.
42 pcs.
53.760 pcs.



01605

5 mm
16-18 mm
1408 pcs.
42 pcs.
59.136 pcs.



01606

6 mm
16-18 mm
1408 pcs.
42 pcs.
59.136 pcs.

Size of
wiremesh
Dia. floor
heating hose
Pcs. in box
Boxes on
pallets
Pcs. on pallets



02005

5 mm
20-22 mm
1.280 pcs.
42 pcs.
53.760 pcs.



02006

6 mm
20-22 mm
1.280 pcs.
42 pcs.
53.760 pcs.



02007

7 mm
20-22 mm
1.216 pcs.
42 pcs.
51.072 pcs.



02008

8 mm
20-22 mm
1.216 pcs.
42 pcs.
51.072 pcs.



02040

min. 40 mm
insulation
16-20 mm
896 pcs.
42 pcs.
37.632 pcs.
40 mm legs
Multitool



01819

min. 20 mm
insulation
with alu-layer
16-18 mm
1.024 pcs.
42 pcs.
42.008 pcs.
19 mm legs
Multitool

Tools



Clips

Size of wiremesh
Dia. floor heating hose
Art. no. PROFF
Art. no. STANDARD
Art. no. LIGHT

01603

3 mm
16/18 mm
11603
21603
31603

01635

3,5 mm
16-18 mm
11635
21635
31635

01604

4 mm
16-18 mm
11604
21604
31604



01605/02005

5 mm
16-22 mm
12005
22005
32005

01606/02006

6 mm
16-22 mm
12006
22006
32006

02008

8 mm
20-22 mm
12008
22008
32008

All clips

All+ insulation
16-22mm
-
42040
-

Same colour for tool and clips

How to change fixating



Make sure that the colour of the fixation is the same as the colour of the clip.

01 / Remove fixating 02 / Place new 03 / Tighten 04 / Ready for use

Quick overview




3 mm	16/18 mm	01603
3,5 mm	16/18 mm	01635
4 mm	16/18 mm	01604
5 mm	16/18 mm	01605
5 mm	20/22 mm	02005
6 mm	16/18 mm	01606
6 mm	20/22 mm	02006
7 mm	20/22 mm	02007
8 mm	20/22 mm	02008
min. 40 mm	16-20 mm	02040
insulation		
no wiremesh	16-18 mm	01819
min. 20 mm		
insulation		
with alu-		
layerno		

no wiremesh



Proff

Aluminium pole
Adjustable height
Rubber Handle



Standard

Aluminium pole
Rubber Handle



Light

Plastic pole
Plastic Handle



Multi

Aluminium pole
Rubber Handle
For both clips and
tagger